

SUTOP ÇİFT KRİSTALİZE-COMPONENT A

Revision Date: 01.02.2019 Revision No:02

1. IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name: Sutop Çift Kristalize- Component A

Intended Use: Cement-Acrylic Based Waterproofing Material

1.2. Details of the supplier of the safety data sheet

Company Name: Entegre Harç San ve Tic. A. Ş.

Adress: Hüseyinli Köyü Beykoz Cad. No:222/4 34799 Çekmeköy / İstanbul

Phone: + 90 216 434 50 96 **Fax:** + 90 216 434 63 89

E-Mail: info@entegreharc.com.tr

1.3. Emergency Phone Number

Company Number + 90 216 434 50 96

2. HAZARD IDENTIFICATION

2.1. Classification of the subtance or mixture

2.1.1. Hazard classes and categories

- Skin Irrit. 2 H 315
- Skin Sens. 1 H317
- Eye Dam. 2 H318
- STOT SE 3 H335

2.1.2. Hazard Statements

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.

2.1.3. Precautionary Statements

- P102 Keep out of reach of children.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
- P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P333+P313+P312 Harmful in contact with skin. If skin irritation or rash occurs: Get medical advice / attention.



SUTOP ÇİFT KRİSTALİZE-COMPONENT A

Revision Date: 01.02.2019 Revision No:02

- P501 Dispose of contents / container in accordance with regulations.

2.2. Label Elements

2.2.1. Pictogram



2.2.2. Signal Word

Danger

2.2.3. Hazardous Ingredients For Labeling

Portland Cement

2.3. Other Hazards

All of the threads with the hazard statements are given in Section 16.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance or Compound	Einecs No	Cas No	Concent %	Classification
Portland cement	266-043-4	65997-15-1	20 – 35	- Skin Irrit. 2 – H 315
				- Skin Sens. 1 – H317
				- Eye Dam. 2 – H318
				- STOT SE 3 – H335
Sodium Carbonate	207-838-8	497-19-8	1 - 10	- Eye Dam. 2 – H318

^{*} See section 16 for the whole of this section of the H-phrases

4. FIRST AID MEASURES

4.1. General Recommendations

Consult a physician. Show this safety data sheet to the physician.

4.2. Inhalation

Move to the fresh air. Give artificial respiration if necessary. If necessary seek medical advice.

4.3. Eye Contact

Immediately rinse with water for a prolonged period whilst keeping the eyes wide open.

4.4. Skin Contact

Immediately rinse with plenty of water.



SUTOP CIFT KRISTALIZE-COMPONENT A

Revision Date: 01.02.2019 Revision No:02

4.5. Ingestion

Rinse mouth. Never give an unconscious person anything to drink.

5. FIREFIGHTING MEASURES

5.1 General Information

The product is not spontaneously flammable show feature.

5.2. Suitable Extinguishing Media

Use sand, alcohol-resistant foam, dry chemical, carbon dioxide (CO2) or water-spray.

5.3. Special hazards arising from the substance or mixture

Carbon dioxide

5.4. Advice forfirefighting

In case of fire, wear suitable respiratory equipment with positive air supply.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions,

Do not breathe dust. Personal protective equipments are used.

6.2. Environmental precautions

Prevent leaks and spills. Do not discharge into the drains. Discharge into the environment must be avoided.

6.3. Methodes for celaning up

Pick up mechanically, avoiding dust, and provide disposal in suitable recipients.

7. HANDLING AND STORAGE

7.1. Handling

Earth the equipment used to transfer the product.

Measures: Avoid the formation or spread of dust in the atmosphere.

7.2. Storage

<u>Technical measures</u>: Does not require any specific or particular technical measures.

Storage conditions:

Recommended: To guarantee the quality and properties of the product keep: the bags tightly closed. Protected from humidity and bad weather conditions.

Packaging - Paper bag lined with a plastic film.

PPE type of bags

Packaging materials:



SUTOP ÇİFT KRİSTALİZE-COMPONENT A

Revision Date: 01.02.2019 Revision No:02

Recommended: PPE bags. Paper.

Not suitable: Materials, which are not water-resistant.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Exposure Limits

Substance or Compound	Cas No	Value	Limits	Source
Portland Cement	65997-15-1	TWA (8 hours)	5 mg/m³	DFG
Calcium Carbonate	1317-65-3	TWA (8 hours)	15 mg/m³	

8.2 Personal Protective Equipment

Foodstuffs, Keep away from drink and animal feed. Contaminated, remove immediately all contaminated clothing, reuse of wash. Wash your hands after work and the work of breaks. Gloves must be inspected regularly and prior to each use.

Respiratory -related precautionary measures

In cases where ventilation is insufficient to use respiratory protective equipment should be considered.

Hand protection

Gloves should be selected in accordance with a standard pharmaceutically acceptable carrier.

Eye protection

Use chemical safety glasses with side shields

Body protection

Use protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Powder
Color: White
Odour: No odour

pH: ~12

<u>Flammability:</u> Not applicable

<u>Solubility in water:</u> Insoluble in water, it takes the mortar consistency.

10. STABILITY AND REACTIVITY

10.1. Stability

Stable at ambient temperature and under normal conditions of use.

10.2. Hazardous Reactions



SUTOP CIFT KRISTALIZE-COMPONENT A

Revision Date: 01.02.2019 Revision No:02

Potentially harmful gases and vapors may form in the event of thermal decomposition or fire.

11. TOXICOLOGICAL INFORMATION

11.1. Corrosive and Irritant Effect

Cement;

LD50 Dermal: > 2.000 mg/kg (Rabbit)

Causes skin irritation

Causes serious eve damage.

May cause respiratory irritation.

11.2. Acute Toxicity

Sodium Carbonate

LD50 Oral: > 4090 mg/kg (Rate)

Hydroxyethyl Methyl Ether

LD50 Oral: > 2.000 mg/kg (Rate)

11.3. Toxicological Warnings:

Product was not tested. Toxicological classification of content information is made based on information available and obtained.

12. ECOLOGICAL INFORMATION

12.1. Ecotoxicity

Hydroxyethyl Methyl Ether

- EC50 (Bacteria): > 1000 mg/l
- EC50 (Daphnia, 48 hours): > 100 mg/l
- EC50 (Scenedesmus suspicatus, 72 hours): > 100 mg/l
- LC50 (Danio, 96 hours): > 500 mg/l

12.2 Persistence and Biodegradability

It is invalid.

13. DISPOSAL CONSIDERATIONS

WASTE FROM RESIDUES:

Destruction/Disposal: Solid waste: Incinerate.

Liquid waste: Decant and separate solid material prior to disposal. Dispose of solid residues at a licensed site.

Small quantities: allow the product to dry then incinerate solid residues at an approved site.

CONTAMINATED PACKAGING:



SUTOP CIFT KRISTALIZE-COMPONENT A

Revision Date: 01.02.2019 Revision No:02

Decontamination/cleaning: Empty the packaging completely prior to disposal.

Destruction/Disposal: Incinerate bags and flexible containers.

NOTE: The user's attention is drawn to the possible existence of local regulations regarding

disposal.

14. TRANSPORT INFORMATION

Air, Sea Rail/ Road: NOT restricted.

15. REGULATORY INFORMATION

National and international regulations must be complied with .

Refer to section 2 of this document for labeling information.

16. OTHER INFORMATION

16.1. Abbreviations

H315 Causes skin irritation

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Skin Irrit. Skin Irritation

Skin Sens. Skin Sensitization

Eye Dam. Eye Damage

STOT SE Specific target organ toxicity – Single Exposure

16.2. Additional Info

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfil his obligations regarding the use of hazardous products. This information is not exhaustive. This does not exonerate the user from ensuring that legal obligations, other than those mentioned, relating to the use and storage of the product, do not exist. This is solely his responsibility.



SUTOP ÇİFT KRİSTALİZE – COMPONENT B

Revision Date: 01.06.2016 Revision No:02

1. IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name: Sutop Çift Kristalize – Component B

Intended Use: Cement-Acrylic Based Waterproofing Mortar

1.2. Details of the supplier of the safety data sheet

Company Name: Entegre Harç San ve Tic. A. Ş.

Adress: Hüseyinli Köyü Beykoz Cad. No:222/4 34799 Çekmeköy / İstanbul

Phone: + 90 216 434 50 96 **Fax:** + 90 216 434 63 89

E-Mail: info@entegreharc.com.tr

1.3. Emergency Phone Number

Company Number + 90 216 434 50 96

2. HAZARD IDENTIFICATION

2.1. Classification of the subtance or mixture

It does not have health and physical damage.

It is not dangerous for the environment. However, it is not appropriate to dispose of the product packaging in the sewer system, water discharge systems and the environment.

2.2. Label Elements

It is out of scope

2.3. Other Hazards

All of the threads with the hazard statements are given in Section 16.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Materials

No dangerous component

3.2. Mixtures

Acrylic resin dispersion

4. FIRST AID MEASURES

4.1. General Recommendations

Consult a physician. Show this safety data sheet to the physician.

4.2. Inhalation

Move to the fresh air. Give artificial respiration if necessary. If necessary seek medical advice.

4.3. Eye Contact

Immediately rinse with water for a prolonged period whilst keeping the eyes wide open.



SUTOP ÇİFT KRİSTALİZE – COMPONENT B

Revision Date: 01.06.2016 Revision No:02

4.4. Skin Contact

Immediately rinse with plenty of water.

4.5. Ingestion

Rinse mouth. Never give an unconscious person anything to drink.

5. FIREFIGHTING MEASURES

5.1 General Information

The product is not spontaneously flammable show feature.

5.2. Suitable Extinguishing Media

Use sand, alcohol-resistant foam, dry chemical, carbon dioxide (CO₂) or water-spray.

5.3. Special hazards arising from the substance or mixture

Carbon dioxide

5.4. Advice forfirefighting

In case of fire, wear suitable respiratory equipment with positive air supply.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions,

Personal protective equipments are used.

6.2. Environmental precautions

Prevent leaks and spills. Do not discharge into the drains. Discharge into the environment must be avoided.

6.3. Methodes for celaning up

Absorb the liquid binder with dust (sand, diatomite, acid binders, universal binders, sawdust).

Collect in the appropriate container for large quantities of debris. If not used, dispose of it.

Pick up mechanically, avoiding dust, and provide disposal in suitable recipients.

7. HANDLING AND STORAGE

7.1. Handling

Avoid contact with eyes and skin.

7.2. Storage

The product must be protected from moisture and bad weather to protect its qualities and properties.

Protect from freezing. Protect from the sun.

Packaging should be stored tightly closed in a dry and well-ventilated place.



SUTOP ÇİFT KRİSTALİZE – COMPONENT B

Revision Date: 01.06.2016 Revision No:02

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Exposure Limits

STEL / TWA: Not detected

8.2 Personal Protective Equipment

Foodstuffs, Keep away from drink and animal feed. Contaminated, remove immediately all contaminated clothing, reuse of wash. Wash your hands after work and the work of breaks. Gloves must be inspected regularly and prior to each use.

Respiratory -related precautionary measures

In cases where ventilation is insufficient to use respiratory protective equipment should be considered.

Hand protection

Gloves should be selected in accordance with a standard pharmaceutically acceptable carrier.

Eye protection

Use chemical safety glasses with side shields

Body protection

Use protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liqiud Colour: White

Odour: -

Flammability: Not applicable
Solubility in water: Soluble in water
Density (20 °C): ~0,95 g/m³

10. STABILITY AND REACTIVITY

10.1. Stability

Stable at ambient temperature and under normal conditions of use.

10.2. Hazardous Reactions

If used according to the technical specification, no deterioration will occur.

There is no known degradation product.



SUTOP ÇİFT KRİSTALİZE – COMPONENT B

Revision Date: 01.06.2016 Revision No:02

11. TOXICOLOGICAL INFORMATION

11.1. Information on Toxic Effects

The product is not classified in accordance with the method of calculation of the General EC Classification Guidelines for Preparations as issued in the latest version.

When used in accordance with specifications, the product does not have any harmful effects on the basis of our experience and the information provided to us.

There is no known sensitizing effect.

11.2 Impact on Health:

Styrene - Acrylic Acid Copolymer

LD50 (Acute Oral): > 5.000 mg/kg (Rat)

In case of inhalation, there is no irritant effect.

No irritant effect on skin. In the eyes, slight irritation is possible.

Sensitivity studies have not been performed on the mixture. According to the compositions, it is unlikely that the mixture is susceptible to sensitization.

11.3. Toxicological Warnings:

Product was not tested. Toxicological classification of content information is made based on information available and obtained.

12. ECOLOGICAL INFORMATION

12.1. Ecotoxicity

Styrene - Acrylic Acid Copolymer

LC50 (48 Hours): > 500 mg/lt (Fish)

Prevent the product from reaching water sources, sewage systems or sewage systems.

No ecological work is available. So far, no harmful effects on human and environment have been observed. When used as intended, does not have any environmental poisoning effect according to available information.

12.2 Persistence and Biodegradability

It is invalid.

13. DISPOSAL CONSIDERATIONS

WASTE FROM RESIDUES:

Destruction/Disposal: Solid waste: Incinerate.

Liquid waste: Decant and separate solid material prior to disposal. Dispose of solid residues at

a licensed site.

Small quantities: allow the product to dry then incinerate solid residues at an approved site.



SUTOP ÇİFT KRİSTALİZE – COMPONENT B

Revision Date: 01.06.2016 Revision No:02

CONTAMINATED PACKAGING:

Decontamination/cleaning: Empty the packaging completely prior to disposal.

Destruction/Disposal: Incinerate bags and flexible containers.

NOTE: The user's attention is drawn to the possible existence of local regulations regarding disposal.

14. TRANSPORT INFORMATION

Air, Sea, Rail/ Road: NOT restricted.

15. <u>REGULATORY INFORMATION</u>

National and international regulations must be complied with . Refer to section 2 of this document for labeling information.

16. OTHER INFORMATION

16.1 Additional Info

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfil his obligations regarding the use of hazardous products. This information is not exhaustive. This does not exonerate the user from ensuring that legal obligations, other than those mentioned, relating to the use and storage of the product, do not exist. This is solely his responsibility.